



## Music Therapy in Pediatric Medical Care

### WHAT IS PEDIATRIC MUSIC THERAPY?

Children in pediatric hospital settings may have a multitude of different medical reasons for hospitalization, ranging from short-term treatment for an infection or injury, to long-term treatment for cancer or a brain injury, to intermittent treatment through their lifetime for chronic illness. However, despite their medical differences, children in the same developmental stage may experience common psychosocial challenges of hospitalization.

"Pediatric medical music therapy is the use of music and the therapeutic relationship to promote healthy coping and safeguard the child's psychosocial well-being during inpatient and outpatient medical treatment" (Ghetti, 2012). It is an evidenced-based and cost-effective service that has the ability to reach unique outcomes and increase patient satisfaction scores.

### COMMON INTERVENTIONS

- Active music engagement (AME)
- Music-assisted relaxation
- Music-alternate engagement
- Music listening
- Music-facilitated dramatic play
- Therapeutic singing
- Therapeutic music instruction
- Songwriting
- Recording projects

### COMMON GOALS UTILIZED

- Decreased pain perception
- Developmental support
- Reduction of anxiety
- Emotional expression/processing
- Development of positive coping skills
- Increased opportunities for social interaction
- Increased sensory stimulation
- Procedural support
- Bereavement support
- Legacy building
- Normalization of the hospital environment

### BENEFITS OF MUSIC THERAPY

#### *Improved Physiologic Outcomes*

Music therapy support has shown to have positive impact on a patient's physiologic state with outcomes such as: reduced pain perception, decreased cortisol levels, lowered heart rate, blood pressure & respiration rate (Bonilha, Onofre, Vieira, Prado, & Martinez, 2009; Irons, Kenny, McElrea, & Chang, 2012; Khalfa, Bella, Roy, Peretz, & Lupien, 2003; Leanderson & Sundberg, 1988).

#### *Increased Patient & Family Satisfaction Scores*

On average, patients who receive music therapy services during hospital admissions reported overall satisfaction scores that were 3.4 points higher than patients who did not receive music therapy on the Press Ganey Inpatient Survey (Yinger & Standley, 2011).

#### *Institutional Savings*

Results of music therapy-assisted procedures indicate reduction or elimination of patient sedation, reduction in procedural times, and decreased numbers of staff members needed for procedures, saving an average of almost \$75 per patient per procedure (Walworth, 2005).



## Increased Psychosocial Support

Patients undergoing medical treatment are at increased risk for poor psychosocial health. Music therapists reduce this risk by providing high-quality and individualized care alongside the child's treatment team. Research substantiates that music therapy reduces anxiety and stress related behaviors, increases coping-related behaviors and improved quality of life and family relationships during hospitalization. As a result, patients demonstrate fewer behavioral disturbances during medical encounters, accelerating healing and reducing trauma. (Colwell, Edwards, Hernandez, & Brees, 2013; Barry, O'Callaghan, Wheeler, & Grocke, 2010).

## CONTRAINDICATIONS

- ◆ Often paralytics are considered contraindicated due to the side effect of heightened auditory perception
- ◆ Additional assessment and care should be taken when providing patients experiencing ICU induced psychosis to support grounding in reality.

## CURRENT STATE

- ◆ Pediatric music therapists are found in over 250 pediatric facilities and units across America. (Knott. Et. al. 2020)
- ◆ Current benchmarking efforts recommend minimum 1 music therapist for every 100 beds. (Knott. Et. al. 2020)
- ◆ All of the US News World Report's Best Children's Hospital have established music therapy programs.

## References

- Abad, V. (2003). A time of turmoil: Music therapy interventions for adolescents in a paediatric oncology ward. *Australian Journal of Music Therapy, 14*, 20–33.
- Abad, V., & Edwards, J. (2004). Strengthening families: A role for music therapy in contributing to family centered care. *Australian Journal of Music Therapy, 15*, 3–17.
- Barrera, M. E., Rykov, M. H., & Doyle, S. L. (2002). The effects of interactive music therapy on hospitalized children with cancer: A pilot study. *Psycho-oncology, 11*(5), 379–388.
- Bishop, B., Christenberry, A., Robb, S., & Tooms Rudenberg, M. (1996). Music therapy and child life interventions with pediatric burn patients. In M. A. Froehlich (Ed.), *Music therapy with hospitalized children* (pp. 17–24). Cherry Hill, NJ: Jeffrey Books.
- Bonilha, A. G., Onofre, F., Vieira, M. L., Prado, M. Y. A., & Martinez, J. A. (2009). Effects of singing classes on pulmonary function and quality of life of COPD patients. *International Journal of Chronic Obstructive Pulmonary Disease, 4*, 1–8.
- Edwards, J. (1999a). Anxiety management in pediatric music therapy. In C. Dileo (Ed.), *Music therapy and medicine: Theoretical and clinical applications* (pp. 69–76). Silver Spring, MD: American Music Therapy Association.
- Edwards, J. (1999b). Music therapy for children hospitalised for severe injury or illness. *British Journal of Music Therapy, 13*(1), 21–27.
- Edwards, J. (2005). Special feature: A reflection on the music therapist's role in developing a program in a children's hospital. *Music Therapy Perspectives, 23*(1), 36–44.



- Fratianne, R. B., Prensner, J.D., Huston, M. J., Super, D. M., Yowler, C. J., & Standley, J. M. (2001). The effect of music-based imagery and musical alternate engagement on the burn debridement process. *Journal of Burn Care and Rehabilitation*, 22(1), 47-53.
- Ghetti, C. M. (2011). Active music engagement with emotional-approach coping to improve well-being in liver and kidney transplant recipients. *Journal of Music Therapy*, 48(4), 463–485.
- Hannan, A. (2008). General pediatrics medical/surgical. In D. Hanson-Abromeit & C. Colwell (Eds.), *Medical music therapy for pediatrics in hospital settings* (pp. 107–146). Silver Spring, MD: American Music Therapy Association.
- Hanson-Abromeit, D., & Colwell, C. (Eds.). (2008). *Medical music therapy for pediatrics in hospital settings*. Silver Spring, MD: American Music Therapy Association.
- Hurt-Thaut, C., & Johnson, S. (2003). Neurologic music therapy with children: Scientific foundations and clinical application. In S. L. Robb (Ed.), *Music therapy in pediatric healthcare: Research and evidence based practice* (pp. 81–100). Silver Spring, MD: American Music Therapy Association.
- Kennelly, J. (2000). The specialist role of the music therapist in developmental programs for hospitalized children. *Journal of Pediatric Health Care*, 14(2), 56–59.
- Khalifa, S., Bella, S. D., Roy, M., Peretz, I., & Lupien, S. J. (2003). Effects of relaxing music on salivary cortisol level after psychological stress. *Annals of the New York Academy of Sciences*, 999, 374–376.
- Klassen, J. A., Liang, Y., Klassen, T. P., & Harling, L. (2008). Music for pain and anxiety in children undergoing medical procedures: A systematic review of randomized controlled trials. *Ambulatory Pediatrics*, 8(2), 117-128.
- Knott, D., Biard, M., Nelson, K. E., Epstein, S., Robb, S. L., Ghetti, C. M. (2020). A survey of music therapists working in pediatric medical settings in the United States. *Journal of Music Therapy*, 57(1), 34-65.
- Loewy, J., Hallan, C., Friedmann, E., & Martinez, C. (2005). Sleep/sedation in children undergoing EEG testing: A comparison of chloral hydrate and music therapy. *Journal of Perinatal Anesthesia Nursing*, 20(5), 323-332.
- Luyckx, K., Seiffge-Krenke, I., Schwartz, S. J., Goossens, L., Weets, I., Hendrieckz, C., & Groven, C. (2008). Identity development, coping, and adjustment in emerging adults with a chronic illness: The sample case of type 1 diabetes. *Journal of Adolescent Health*, 43, 451–458.
- Malone, A. B. (1996). The effects of live music on the distress of pediatric patients receiving intravenous starts, venipunctures, injections, and heel sticks. *Journal of Music Therapy*, 33(1), 19–33.
- Marley, L. (1984). The use of music with hospitalized infants and toddlers: A descriptive study. *Journal of Music Therapy*, 21(3), 126–132.
- Marley, L. (1996). Music therapy with hospitalized infants and toddlers in a child life program. In M. A. Froehlich (Ed.), *Music therapy with hospitalized children: A creative arts child life approach* (pp. 77–86). Cherry Hill, NJ: Jeffrey Books.
- McCauley, K. (1996). Music therapy with pediatric AIDS patients. In M. A. Froehlich (Ed.), *Music therapy with hospitalized children: A creative arts child life approach* (pp. 233–240). Cherry Hill, NJ: Jeffrey Books.
- Millett, C. R., & Gooding, L. F. (2017). Comparing active and passive distraction-based music therapy interventions on preoperative anxiety in pediatric patients and their caregivers. *Journal of Music Therapy* 54(4), 460-478.
- Neugebauer, C. T. (2008). Pediatric burn recovery: Acute care, rehabilitation, and reconstruction. In D. Hanson-Abromeit & C. M. Colwell (Eds.), *Medical music therapy for pediatrics in hospital settings* (pp. 195–230). Silver Spring, MD: American Music Therapy Association.
- Ortiz, G. S., O'Connor, T., Carey, J., Vella, A., Paul, A., Rode, D., & Weinberg, A. (2019). Impact of a child life and music therapy procedural support intervention on parental perceptions of their child's distress during intravenous placement. *Pediatric Emergency Care*, 35(7), 498-505.



- Prensner, J. D., Yowler, C. J., Smith, L. F., Steele, A. L., & Fratianne, R. B. (2001). Music therapy for assistance with pain and anxiety management in burn treatment. *Journal of Burn Care & Rehabilitation*, 22(1), 83–88.
- Robb, S. L., Nichols, R. J., Rutan, R. L., Bishop, B. L., & Parker, J. C. (1995). The effects of music assisted relaxation on preoperative anxiety. *Journal of Music Therapy*, 32(1), 2–21.
- Robb, S. L. (2003). Coping and chronic illness: Music therapy for children and adolescents with cancer. In S. L. Robb (Ed.), *Music therapy in pediatric healthcare: Research and evidence-based practice* (pp. 101-136). Silver Spring, MD: American Music Therapy Association.
- Rudenberg, M. T., & Royka, A. M. (1989). Promoting psychosocial adjustment in pediatric burn patients through music therapy and child life therapy. *Music Therapy Perspectives*, 7, 40–43.
- Sheridan, J., & McFerran, K. (2004). Exploring the value of opportunities for choice and control in music therapy within a paediatric hospice setting. *Australian Journal of Music Therapy*, 15, 18–31.
- Ugglå, L., Bonde, L., Svahn, B., Remberger, M., Wrangsjö, B. and Gustafsson, B. (2016), "Music therapy can lower the heart rates of severely sick children" *Acta Paediatr*, 105, 1225–1230.
- Walworth, D. D. (2005). Procedural support music therapy in the healthcare setting: A cost-effective analysis. *Journal of Pediatric Nursing*, 20(4), 276-284.
- Walworth, D. D., (2010). Effect of live music therapy for patients undergoing magnetic resonance imaging. *Journal of Music Therapy* 47(4), 335-350.
- Whitehead-Pleaux, A., Baryza, M., Sheridan, R. (2006). The effects of music therapy on pediatric patients' pain and anxiety during donor site dressing changes. *Journal of Music Therapy*, 43(2), 136-153.
- Whitehead-Pleaux, A., Zebrowski, N., Baryza, M., & Sheridan, R. (2007). Exploring the effects of music therapy on pediatric pain: Phase 1. *Journal of Music Therapy*, 44(3), 217-241.
- Yinger, O., & Standley, J. M. (2011). Effects of medical music therapy on patient satisfaction: As measured by the Press Ganey Inpatient Survey. *Music Therapy Perspectives*, 29(2), 149-156.
- Yinger, O. (2016). Music therapy as procedural support for young children undergoing immunizations: A randomized controlled study. *Journal of Music Therapy*, 53(4), 336-363.

### **What is AMTA?**

The American Music Therapy Association (AMTA) represents 10,000 music therapists, corporate members, and related associations worldwide. AMTA is committed to the advancement of education, training, professional standards, and research in support of the music therapy profession. AMTA establishes criteria for the education and clinical training of music therapists. Professional members of AMTA adhere to a Code of Ethics and Standards of Practice in the delivery of music therapy services. AMTA's mission is to advance public knowledge of music therapy benefits and increase access to quality music therapy services. Learn more at [www.musictherapy.org](http://www.musictherapy.org).